




CLIMATIGHT CONTAINERS

THINKING OUTSIDE THE BOX

10FT REFRIGERATED CONTAINER

DNV OFFSHORE



Key Features

DNV 2.7-1 Certification:

- Ensures the reefer meets strict safety and structural standards for offshore containers.
- Includes requirements for lifting, stacking, structural integrity, and resistance to harsh conditions (like saltwater corrosion, wind, and rough handling).

Refrigeration Capabilities:

- These containers maintain controlled temperatures, often between -25°C to $+25^{\circ}\text{C}$, to store food, medical supplies, or chemicals.

Robust Construction:

- Made of marine-grade materials (stainless or galvanized steel).
- Designed to be stackable and portable with forklift pockets and certified lifting points.

Applications:

- Used on offshore oil & gas platforms, ships, remote work sites, and in military or humanitarian operations.
- Common for catering companies serving offshore crews.

Tare Weight - 2,900kg

Payload Capacity - 7,900kg

Max Gross Weight - 10,800kg

Internal Length - 2,829mm

Internal Width - 2,349mm

Internal Height - 2,346mm

External Length - 2,991mm

External Width - 2,438mm

External Height - 2,591mm

Measurements may vary from unit to unit*

Three Phase

Volts - 380/460

Amps - 32

Plug - 4 or 5 Pin Wilco Type

Frequency - 50/60hz



CLIMATIGHT
CONTAINERS
THINKING OUTSIDE THE BOX

ENQUIRE TODAY

[CLICK HERE FOR
DIRECT LINK TO
OUR WEBSITE](#)

Western Australia

Unit 14, 4 Roper St
O'CONNOR
WA 6163

South Australia

Coghlan Rd
OUTER HARBOR
SA 5018

For more information on refrigerated containers or to enquire about a storage solution to suit you, don't hesitate to contact us!



0475 000 560



sales@climatight.com.au



CLIMATIGHT
CONTAINERS
THINKING OUTSIDE THE BOX